

SAFETY DATA SHEET

Swarfega Jizer Bio

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Swarfega Jizer Bio Product number JIB608RS, JIB60K, JIB76R, 692609 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Detergent. For full details regarding recommended uses please refer to the product label. 1.3. Details of the supplier of the safety data sheet Supplier Deb Ltd Denby Hall Way Denby Derbyshire DE5 8JZ Main Tel. 01773 855100 Technical Tel 01773 855105 sdsuk@debgroup.com 1.4. Emergency telephone number **Emergency telephone** National Poisons Information Service (UK) 0344 8920111 (Health Professionals only) National Poisons Information Centre (Eire) 01-8092566/8379964 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture Classification (EC 1272/2008) Physical hazards Not Classified Health hazards Skin Corr. 1C - H314 Eye Dam. 1 - H318 Not Classified Environmental hazards Environmental The product does not meet the requirement for classification as an environmental hazard in accordance with directive 1999/45/EEC 2.2. Label elements Pictogram Signal word Danger Hazard statements H314 Causes severe skin burns and eye damage.

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P501 Dispose of contents/ container in accordance with national regulations.
Contains	C9-C11 ALCOHOL ETHOXYLATE (6MEO), SODIUM METASILICATE, REACTION PRODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM HYDROXIDE, DIETHANOLAMINE
Detergent labelling	5 - < 15% non-ionic surfactants, < 5% amphoteric surfactants, < 5% EDTA and salts thereof
Supplementary precautionary statements	P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C9-C11 ALCOHOL ETHOXYLATE (6MEO) CAS number: 68439-46-3			
Acute Tox. 4 - H302			
Eye Dam. 1 - H318			
SODIUM METASILICATE			1-5%
CAS number: 6834-92-0	EC number: 229-912-9	REACH registration number: 01- 2119449811-37-XXXX	
Classification			
Met. Corr. 1 - H290			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
REACTION PRODUCTS OF C12 ALKYLAMINES & ACRYLIC ACI			1-5%
CAS number: —	EC number: 939-647-7	REACH registration number: 01- 2119980672-29-0000	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			

DIETHANOLAMINE			1-5%
CAS number: 111-42-2	EC number: 203-868-0		
Classification			
Acute Tox. 4 - H302			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
STOT RE 2 - H373			
Aquatic Chronic 3 - H412			
DIHYDROXYETHYL COCA	MINE OXIDE		<1%
CAS number: 61791-47-7	EC number: 263-180-1		
M factor (Acute) = 1			
Classification			
Skin Corr. 1C - H314			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
SODIUM HYDROXIDE			<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01- 2119457892-27-XXXX	
Classification			
Met. Corr. 1 - H290			
Skin Corr. 1A - H314			
Eye Dam. 1 - H318			
	atements is displayed in Section 16.		
SECTION 4: First aid measu			
4.1. Description of first aid m			
Inhalation	Move affected person to fresh air at once. Ge	et medical attention if any discomfort conti	nues.

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.	
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention.	
Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.	
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.	
4.2. Most important symptoms	and effects, both acute and delayed	
Inhalation	Irritation of nose, throat and airway.	
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.	
Skin contact	This product is corrosive.	
Eye contact	Corrosive to skin and eyes.	
4.3. Indication of any immediate medical attention and special treatment needed		

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.				
SECTION 5: Firefighting meas	sures				
5.1. Extinguishing media					
Suitable extinguishing media	extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.				
5.2. Special hazards arising fr	om the substance or mixture				
Hazardous combustion products	Does not decompose when used and stored as recommended.				
5.3. Advice for firefighters					
Protective actions during firefighting	No specific firefighting precautions known.				
SECTION 6: Accidental release	e measures				
6.1. Personal precautions, pro	tective equipment and emergency procedures				
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.				
6.2. Environmental precautions					
Environmental precautions	Collect and dispose of spillage as indicated in Section 13. Avoid discharge to the aquatic environment.				
6.3. Methods and material for	6.3. Methods and material for containment and cleaning up				
Methods for cleaning up	Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid contamination of ponds or watercourses with washing down water.				
6.4. Reference to other section	ns				
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.				
SECTION 7: Handling and sto	rage				
7.1. Precautions for safe hand	lling				
Usage precautions	Wear appropriate clothing to prevent skin contamination. Avoid contact with skin and eyes. Avoid spilling.				
7.2. Conditions for safe storag	e, including any incompatibilities				
Storage precautions	Store in closed original container at temperatures between 0°C and 30°C.				
Storage class	Chemical storage.				
7.3. Specific end use(s)					
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.				
SECTION 8: Exposure Contro	Is/personal protection				
8.1. Control parameters Occupational exposure limits SODIUM HYDROXIDE					
Short-term exposure limit (15- WEL = Workplace Exposure L					
Ingredient comments	None.				

SODIUM METASILICATE (CAS: 6834-92-0)

DNEL	Workers - Inhalation; Long term systemic effects: 6.22 mg/m ³ Workers - Dermal; Long term systemic effects: 1.49 mg/kg/day General population - Inhalation; Long term systemic effects: 1.55 mg/m ³ General population - Dermal; Long term systemic effects: 0.74 mg/kg/day General population - Oral; Long term systemic effects: 0.74 mg/kg/day
PNEC	- Fresh water; 7.5 mg/l - Marine water; 1 mg/l - STP; 1000 mg/l
REACTION PRODUCT	S OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM
	HYDROXIDE
DNEL	Professional - Dermal; Long term systemic effects: 5.3 mg/kg/day Professional - Inhalation; Long term systemic effects: 3.8 mg/m ³ Consumer - Dermal; Long term systemic effects: 2.7 mg/kg/day Consumer - Inhalation; Long term systemic effects: 0.9 mg/m ³ Consumer - Oral; Long term systemic effects: 0.3 mg/kg/day
PNEC	 Marine water; 0.0003 mg/l Soil; 0.0041 mg/kg Fresh water; 0.03 mg/l Sediment (Freshwater); 0.108 mg/kg Intermittent release; 0.042 mg/l STP; 9.9 mg/l Sediment (Marinewater); 0.0108 mg/kg DIETHANOLAMINE (CAS: 111-42-2)
	<u></u>
DNEL	Workers - Inhalation; Long term local effects: 1 mg/m ³ Workers - Dermal; Long term systemic effects: 0.13 mg/kg/day General population - Inhalation; Long term local effects: 0.25 mg/m ³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day
PNEC	 Fresh water; 0.0022 mg/l Marine water; 0.00022 mg/l Intermittent release; 0.022 mg/l Sediment (Freshwater); 0.012 mg/kg Sediment (Marinewater); 0.0012 mg/kg Soil; 0.0011 mg/kg ;
TETRA	ASODIUM ETHYLENE DIAMINE TETRAACETATE (CAS: 64-02-8)
DNEL	Professional - Inhalation; Long term systemic effects: 2.5 mg/m ³ Consumer - Inhalation; Short term systemic effects: 1.5 mg/m ³ Professional - Inhalation; Short term local effects: 2.5 mg/m ³ Professional - Inhalation; Short term systemic effects: 2.5 mg/m ³ Consumer - Inhalation; Long term local effects: 1.5 mg/m ³ Consumer - Oral; Long term systemic effects: 28 mg/kg/day Professional - Inhalation; Short term systemic effects: 2.8 mg/m ³ Professional - Inhalation; Long term local effects: 2.5 mg/m ³

PNEC	- STP; 43 mg/l - ; Intermittent release 1.2 mg/l - Marine water; 0.22 mg/l 18.3 C/ 65.0 F - Fresh water; 18.3 C/ 65.0 F 2.2 mg/l - Soil; 0.72 mg/kg SODIUM HYDROXIDE (CAS: 1310-73-2)
	<u> </u>
DNEL	Industry - Inhalation; Long term local effects: 1 mg/m ³ Consumer - Inhalation; Long term local effects: 1 mg/m ³
8.2. Exposure controls	
Protective equipment	
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Green.
Odour	Characteristic.
Odour threshold	Not determined.
рН	Not determined.
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	Not determined.
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.

Relative density	1.045-1.060 @ at 25 deg C°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	Scientifically unjustified.
Decomposition Temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Scientifically unjustified.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	Not relevant.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time. Avoid freezing.
10.5. Incompatible materials	
Materials to avoid	Avoid contact with acids and alkalis.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	ical effects
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	7,142.85714286
Acute toxicity - dermal	Based on available data the classification criteria are not met.
Notes (dermal LD₅₀)	based on available data the classification chiena are not met.
Acute toxicity - inhalation Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
Skin corrosion/irritation Skin corrosion/irritation	Corrosive to skin.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	

Respiratory	sensitisation	Based on available data the classification criteria are not met.	
Skin sensitis			
Skin sensitis	sation	Based on available data the classification criteria are not met.	
Germ cell m			
Genotoxicity	ty - in vivo Based on available data the classification criteria are not met.		
Carcinogeni			
Carcinogeni	city	Does not contain any substances known to be carcinogenic.	
Reproductiv			
Reproductiv	e toxicity - fertility	Does not contain any substances known to be toxic to reproduction.	
	jet organ toxicity -		
STOT - sing	le exposure	Not classified as a specific target organ toxicant after a single exposure.	
		repeated exposure	
STOT - repe	eated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration h			
Aspiration h	azaro	Not anticipated to present an aspiration hazard based on chemical structure.	
Inhalation		May cause respiratory system irritation.	
Ingestion		May cause discomfort if swallowed.	
-		Irritating to skin.	
Eye contact		Irritating to eyes.	
-			
	al information on in		
		C9-C11 ALCOHOL ETHOXYLATE (6MEO)	
	Acute toxicity - de	ermal	
	Acute toxicity der mg/kg)	rmal (LD∞ 2,000.0	
	Species	Rat	
		SODIUM METASILICATE	
	A suda Asudaliha as		
	Acute toxicity - or		
	Notes (oral LD ₅₀)		
	Acute toxicity - de		
	Notes (dermal LE		
	Acute toxicity - in		
	Notes (inhalation		
	Skin corrosion/irr		
	Animal data	Primary dermal irritation index: 8	
	REACTION P	RODUCTS OF C12-18-(EVEN NUMBERED)-ALKYLAMINES & ACRYLIC ACID & SODIUM	
		HYDROXIDE	
	A outo toxioity o		

Acute toxicity - oral

	Acute toxicity oral mg/kg)	(LD50	31,300.0
	Species		Rat Rat
	ATE oral (mg/kg)		31,300.0
	Acute toxicity - dermal		
	Acute toxicity derr mg/kg)	mal (LD₅₀	5,000.0
	Species		Rat Rat
	ATE dermal (mg/ł	(g)	5,000.0
			DIETHANOLAMINE
	Acute toxicity - or	al	
	Acute toxicity oral mg/kg)		1,100.0
	Species		Rat
	ATE oral (mg/kg)		500.0
	Skin corrosion/irri	tation	
	Animal data		Erythema/eschar score: Very slight erythema - barely perceptible (1).
	Skin sensitisation		
	Skin sensitisation		Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
SECTION 12	2: Ecological Inform	nation	
Ecotoxicity		The prod	uct is not expected to be hazardous to the environment.
12.1. Toxicit	y		
Toxicity	<u> </u>	The prod	uct is not expected to be toxic to aquatic organisms.
12.2. Persist	tence and degrada	bility	
Persistence	and degradability	as laid do are held a	actant(s) contained in this product complies(comply) with the biodegradability criteria own in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion at the disposal of the competent authorities of the Member States and will be made to them at their direct request, or at the request of a detergent manufacturer.
12.3. Bioacc	cumulative potentia	<u> </u>	
Bioaccumula	ative potential	No data a	available on bioaccumulation.
12.4. Mobilit	y in soil		
Mobility		The prod	uct is soluble in water. The product is non-volatile.
12.5. Result	s of PBT and vPvB	assessm	ent
Results of P assessment	BT and vPvB	None kno	own.
12.6. Other a	adverse effects		
Other advers	se effects	None kno	own.
SECTION 1	3: Disposal conside	erations	

13.1. Waste treatment methods

General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. No specific disposal method required. Reuse or recycle products wherever possible.

SECTION 14: Transport information

14.1. UN	number
----------	--------

UN No. (ADR/RID)	1719
UN No. (IMDG)	1719
UN No. (ICAO)	1719
UN No. (ADN)	1719

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)
Proper shipping name (IMDG)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)
Proper shipping name (ICAO)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)
Proper shipping name (ADN)	CAUSTIC ALKALI LIQUID, N.O.S. (CONTAINS DIHYDROXYETHYL COCAMINE OXIDE, SODIUM METASILICATE)

14.3. Transport hazard class(es)	
ADR/RID class	8
ADR/RID classification code	C5
ADR/RID label	8
IMDG class	8
ICAO class/division	8

8

ADN class

Transport labels



14.4. Packing groupADR/RID packing groupIIIIMDG packing groupIIIADN packing groupIIIICAO packing groupIII14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user	
EmS	F-A, S-B
ADR transport category	3
Emergency Action Code	2R
Hazard Identification Number (ADR/RID)	80
Tunnel restriction code	(E)
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code	

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

HSNO Approval No:

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information	Only trained personnel should use this material.
Key literature references and sources for data	Where Exposure Scenarios for the substances listed in Section 3 are available they have been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet.
Revision comments	Revision of information NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	09/01/2018
Revision	5
Supersedes date	23/05/2017

Hazard statements in full	H290 May be corrosive to metals. H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H335 May cause respiratory irritation.
	H373 May cause damage to organs through prolonged or repeated exposure.
	H400 Very toxic to aquatic life.
	H412 Harmful to aquatic life with long lasting effects.
Notes for Hazard Statements in Full	The full text for Hazard Statements in section 16 relates to the reference numbers in sections 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.