

FOLIAC MANGANESE PJC (STEAMSEAL)

Page: 1

Compilation date: 30/11/2011

Revision No: 5

### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: FOLIAC MANGANESE PJC (STEAMSEAL)

Synonyms: STEAMSEAL

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Use of substance / mixture:** Jointing compound.

# 1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

ROCOL House Swillington Leeds

West Yorkshire

LS26 8BS ENGLAND

**Tel:** +44 (0) 113 232 2700 **Fax:** +44 (0) 113 232 2740

Email: <a href="mailto:customer-service@rocol.com">customer-service@rocol.com</a>

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

### **Section 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification under CHIP: This product has no classification under CHIP.

# 2.2. Label elements

Label elements under CHIP:

Hazard symbols: No significant hazard.

Precautionary phrases: Contains methyl ethyl ketoxime. May produce an allergic reaction.

#### 2.3. Other hazards

**PBT:** This substance is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

### 3.2. Mixtures

FOLIAC MANGANESE PJC (STEAMSEAL)

Page: 2

#### **Hazardous ingredients:**

#### MANGANESE DIOXIDE

EINECS	CAS CHIP Classification		CLP Classification	Percent	
215-202-6	1313-13-9	Xn: R20/22	Acute Tox. 4: H332; Acute Tox. 4: H302	10-30%	

# WHITE SPIRIT (CONTAINS LESS THAN 0.1% BENZENE)

265-185-4	64742-82-1	-: R10; Xn: R65; N: R51/53	-	1-10%	
		, ,		(	

Contains: METHYL ETHYL KETOXIME

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. Consult a doctor. **Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

### 4.3. Indication of any immediate medical attention and special treatment needed

### Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Use water spray to cool containers. Alcohol or polymer foam. Dry chemical powder.

Carbon dioxide.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

FOLIAC MANGANESE PJC (STEAMSEAL)

Page: 3

### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

### 6.4. Reference to other sections

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

### Section 8: Exposure controls/personal protection

# 8.1. Control parameters

#### Hazardous ingredients:

### WHITE SPIRIT (CONTAINS LESS THAN 0.1% BENZENE)

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	100 ppm / 575 mg/m3	125 ppm / 720 mg/m3	-	-

# 8.2. Exposure controls

Respiratory protection: Respiratory protection not normally required.

Hand protection: Protective gloves.

**Eye protection:** Safety glasses with side-shields.

Skin protection: Protective clothing.

# Section 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

State: Paste Colour: Black

Odour: Barely perceptible odour

Evaporation rate: Negligible

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Viscosity: Highly viscous

Flash point°C: > 200 Autoflammability°C: > 200

Relative density: 1.86

FOLIAC MANGANESE PJC (STEAMSEAL)

Page: 4

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

**Section 11: Toxicological information** 

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Non-volatile. Absorbed only slowly into soil.

FOLIAC MANGANESE PJC (STEAMSEAL)

Page: 5

#### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This substance is not identified as a PBT substance.

12.6. Other adverse effects

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

**NB:** The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

### **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

#### **Section 16: Other information**

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Compiled in accordance with REACH.

Phrases used in s.2 and 3: H302: Harmful if swallowed.

H332: Harmful if inhaled.

R10: Flammable.

R20/22: Harmful by inhalation and if swallowed.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R65: Harmful: may cause lung damage if swallowed.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.