Version 3.2

Revision Date 04.03.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	:	Shell Omala S2 G 150
Product code	:	001D7836

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	:	Gear lubricant.
Uses advised against	:	This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the supplier.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier	: Shell UK Oil Products Limited Shell Centre London SE1 7NA United Kingdom
Telephone Telefax Email Contact for Safety Data Sheet	 : (+44) 08007318888 : If you have any enquiries about the content of this SDS please email lubricantSDS@shell.com
	F

1.4 Emergency telephone number

: +44-(0) 151-350-4595

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)			
Hazard pictograms	:	No Hazard Symbol required	
Signal word	:	No signal word	
Hazard statements	:	PHYSICAL HAZARDS: Not classified as a physical hazard according to CLP criteria.	

SAFETY DATA SHEET

According to EC No 1907/2006 as amended as at the date of this SDS

Shell Omala S2 G 150			
Version 3.2	Revision Date	04.03.2020	Print Date 06.07.2020
		criteria. ENVIRONMENTAL	health hazard under CLP HAZARDS: wironmental hazard
Precautionary statements	: Prevention: Response: Storage: Disposal:	No precautionary p No precautionary p No precautionary p No precautionary p	hrases. hrases.
Safety data sheet available o	n request.		
Sensitising components	: Contains amin May produce a	e phosphate. n allergic reaction.	

2.3 Other hazards

This mixture does not contain any REACH registered substances that are assessed to be a PBT or a vPvB.

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.	(REGULATION	[%]
	Registration	(EC) No	
	number	1272/2008)	
Amine phosphate		Acute Tox.4; H302	< 0.9
	931-384-6	Skin Sens.1; H317	
	01-2119493620-38	Eye Dam.1; H318	
		Aquatic Chronic2;	
		H411	

For explanation of abbreviations see section 16.

Shell Omala S2 G 150

Version 3.2

SECTION 4: First aid measures

4.1 Description of first aid measures

	Protection of first-aiders	:	When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings.
	If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
	In case of skin contact	:	Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
	In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
	If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
4.2	Most important symptoms and	d e	ffects, both acute and delayed
	Symptoms	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Notes to doctor/physician:
		Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media		Foam, water spray or fog. Dry chemical powder, carbo dioxide, sand or earth may be used for small fires only
Unsuitable extinguishing media	:	Do not use water in a jet.
5.2 Special hazards arising from t	he	substance or mixture
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.

5.3 Advice for firefighters

Shell	Omala	S2 G 150	

Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
Special protective equipment for firefighters	: Proper protective equipment includin gloves are to be worn; chemical resist large contact with spilled product is e	stant suit is indicated if
Specific extinguishing methods	Breathing Apparatus must be worn v a confined space. Select fire fighter's relevant Standards (e.g. Europe: EN : Use extinguishing measures that are circumstances and the surrounding e	when approaching a fire in s clothing approved to 1469). appropriate to local

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: 6.1.1 For non emergency personnel:
	Avoid contact with skin and eyes.
	6.1.2 For emergency responders:
	Avoid contact with skin and eyes.

6.2 Environmental precautions

Environmental precautions : Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	 Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth
	or other containment material.
	Reclaim liquid directly or in an absorbent.
	Soak up residue with an absorbent such as clay, sand or other
	suitable material and dispose of properly.

6.4 Reference to other sections

For guidance on selection of personal protective equipment see Chapter 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Chapter 13 of this Safety Data Sheet.

SECTION 7: Handling and storage

General Precautions	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols.
	Use the information in this data sheet as input to a risk

Shell Omala S2 G 150		
Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
	assessment of local circumstances to appropriate controls for safe handling this material.	
7.1 Precautions for safe handling	3	
Advice on safe handling	: Avoid prolonged or repeated contact Avoid inhaling vapour and/or mists. When handling product in drums, saf worn and proper handling equipment Properly dispose of any contaminated materials in order to prevent fires.	ety footwear should be should be used.
Product Transfer	: Proper grounding and bonding proce during all bulk transfer operations to a	
7.2 Conditions for safe storage, i	ncluding any incompatibilities	
Other data	: Keep container tightly closed and in a place. Use properly labeled and closa	
	Store at ambient temperature.	
	Refer to section 15 for any additional covering the packaging and storage of	
	The storage of this product may be so Pollution (Oil Storage) (England) Reg guidance may be obtained from the lo agency office.	ulations. Further
Packaging material	: Suitable material: For containers or c steel or high density polyethylene. Unsuitable material: PVC.	ontainer linings, use mild
Container Advice	: Polyethylene containers should not b temperatures because of possible ris	
7.3 Specific end use(s)		
Specific use(s)	: Not applicable	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components CAS-No. Value type of exposure	Control parameters Basis
---	--------------------------

Version 3.2

Revision Date 04.03.2020

Print Date 06.07.2020

Oil mist, mineral	TWA	5 mg/m3	US. ACGIH Threshold Limit Values
-------------------	-----	---------	--

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

8.2 Exposure controls

Engineering measuresThe level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with

SAFETY DATA SHEET

According to EC No 1907/2006 as amended as at the date of this SDS Shell Omala S2 G 150

Shell Offiala 52 G 150		
Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
PPE suppliers. Eye protection	: If material is handled such that it couprotective eyewear is recommended	
Hand protection	Approved to EU Standard EN166.	
Remarks	: Where hand contact with the product gloves approved to relevant standar US: F739) made from the following a suitable chemical protection. PVC, r gloves Suitability and durability of a usage, e.g. frequency and duration of resistance of glove material, dexterint from glove suppliers. Contaminated replaced. Personal hygiene is a key care. Gloves must only be worn on of gloves, hands should be washed an Application of a non-perfumed moist	ds (e.g. Europe: EN374, materials may provide neoprene or nitrile rubber glove is dependent on of contact, chemical ty. Always seek advice gloves should be element of effective hand clean hands. After using d dried thoroughly.
	For continuous contact we recomme breakthrough time of more than 240 for > 480 minutes where suitable glo short-term/splash protection we reco recognize that suitable gloves offerin may not be available and in this cas time maybe acceptable so long as a and replacement regimes are follow a good predictor of glove resistance dependent on the exact composition Glove thickness should be typically depending on the glove make and m	minutes with preference byes can be identified. For ommend the same but ing this level of protection e a lower breakthrough appropriate maintenance ed. Glove thickness is not to a chemical as it is n of the glove material. greater than 0.35 mm
Skin and body protection	: Skin protection is not ordinarily requ work clothes. It is good practice to wear chemical	
Respiratory protection	: No respiratory protection is ordinarily conditions of use. In accordance with good industrial h precautions should be taken to avoid If engineering controls do not mainta concentrations to a level which is ad health, select respiratory protection specific conditions of use and meeti Check with respiratory protective eq Where air-filtering respirators are su appropriate combination of mask an Select a filter suitable for combined	aygiene practices, d breathing of material. ain airborne lequate to protect worker equipment suitable for the ng relevant legislation. juipment suppliers. itable, select an id filter.

Shell Omala S2 G 150		
Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
	and vapours [Type A/Type P boiling point = meeting EN14387 and EN143.	> 65°C (149°F)]
Thermal hazards :	Not applicable	
Hygiene measures :	Exposure to this product should be reduce reasonably practicable. Reference should Health and Safety Executive's publication ' Essentials".	be made to the
Environmental exposure contro	ols	
General advice :	Take appropriate measures to fulfill the red relevant environmental protection legislatic contamination of the environment by follow Section 6. If necessary, prevent undissolv being discharged to waste water. Waste wa treated in a municipal or industrial waste w before discharge to surface water. Local guidelines on emission limits for vola must be observed for the discharge of exha- vapour.	on. Avoid ving advice given in ed material from ater should be rater treatment plant tile substances

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: Liquid at room temperature.
Colour	: brown
Odour	: Slight hydrocarbon
Odour Threshold	: Data not available
рН	: Not applicable
pour point	: -24 °CMethod: ISO 3016
Initial boiling point and boiling range	: > 280 °Cestimated value(s)
Flash point	: 240 °C Method: ISO 2592
Evaporation rate	: Data not available
Flammability (solid, gas)	: Data not available
Upper explosion limit	: Typical 10 %(V)

rsion 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
Lower explosion limit	: Typical 1 %(V)	
Vapour pressure	: < 0.5 Pa (20 °C) estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.897 (15 °C)	
Density	: 897 kg/m3 (15.0 °C) Method: ISO 12185	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6(based on informatio	n on similar products)
Auto-ignition temperature	: > 320 °C	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 150 mm2/s (40.0 °C) Method: ISO 3104	
	15 mm2/s (100 °C) Method: ISO 3104	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Other information		

SECTION 10: Stability and reactivity

10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following

Shell Omala S2 G 150

Version 3.2

Revision Date 04.03.2020

Print Date 06.07.2020

sub-paragraph.

10.2 Chemical stability

Stable.

No hazardous reaction is expected when handled and stored according to provisions

10.3 Possibility of hazardous reactions

Hazardous reactions	: Reacts with strong oxidising agents.
10.4 Conditions to avoid	
Conditions to avoid	: Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid	: Strong oxidising agents.
--------------------	----------------------------

10.6 Hazardous decomposition products

Hazardous decomposition	: No decomposition if stored and applied as directed.
products	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Version 3.2

Revision Date 04.03.2020

Print Date 06.07.2020

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Components:

Amine phosphate:

Remarks: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: For respiratory and skin sensitisation:, Not a sensitiser., Based on available data, the classification criteria are not met.

Components:

Amine phosphate:

Remarks: Experimental data has shown that the concentration of potentially sensitising components present in this product does not induce skin sensitisation., May cause an allergic skin reaction in sensitive individuals.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification	
Highly refined mineral oil	No carcinogenicity classification.	

Shell Omala S2 G 150

Version 3.2

Revision Date 04.03.2020

Print Date 06.07.2020

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Summary on evaluation of the CMR properties

Germ cell mutagenicity- Assessment		This product does not meet the criteria for classification in categories 1A/1B.
Carcinogenicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.
Reproductive toxicity - Assessment	:	This product does not meet the criteria for classification in categories 1A/1B.

Version 3.2

SECTION 12: Ecological information

12.1 Toxicity					
Basis for assessment	 Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract). 				
Toxicity to fish (Acute toxicity)	 Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met. 				
Toxicity to crustacean (Acute toxicity)	 Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met. 				
Toxicity to algae/aquatic plants (Acute toxicity)	 Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met. 				
Toxicity to fish (Chronic toxicity)	Remarks: Data not available				
Toxicity to crustacean (Chronic toxicity)	Remarks: Data not available				
Toxicity to microorganisms (Acute toxicity)	Remarks: Data not available				
12.2 Persistence and degradability					

Product:

Biodegradability	:	Remarks: Not readily biodegradable., Major constituents are
		inherently biodegradable, but contains components that may
		persist in the environment.

12.3 Bioaccumulative potential

|--|

Bioaccumulation	: Remarks: Contains components with the potential to bioaccumulate.
Partition coefficient: n-	: log Pow: > 6Remarks: (based on information on similar

Shell Omala S2 G 150

Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
octanol/water	products)	
12.4 Mobility in soil		
Product:		
Mobility	 Remarks: Liquid under most environmenters soil, it will adsorb to soil particle mobile. Remarks: Floats on water. 	
12.5 Results of PBT and vPvE	3 assessment	
Product:		
Assessment	: This mixture does not contain any RE substances that are assessed to be a	0
12.6 Other adverse effects		
Product:		
Additional ecological information	 Does not have ozone depletion poten ozone creation potential or global war is a mixture of non-volatile componen released to air in any significant quan- conditions of use. Poorly soluble mixture., Causes physio organisms. Mineral oil does not cause chronic tox organisms at concentrations less than 	ming potential., Product ts, which will not be tities under normal ical fouling of aquatic kicity to aquatic

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	Recover or recycle if possible. t is the responsibility of the was oxicity and physical properties of letermine the proper waste class nethods in compliance with app Do not dispose into the environr courses	of the material generated to sification and disposal licable regulations.
	Vaste product should not be all ground water, or be disposed of Vaste, spills or used product is	into the environment.
Contaminated packaging	Dispose in accordance with prevo o a recognized collector or cont he collector or contractor should Disposal should be in accordance national, and local laws and reg	ractor. The competence of d be established beforehand. ce with applicable regional,

Shell Omala S2 G 150

Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
Local legislation		
Waste catalogue	:	
	EU Waste Disposal Code (EWC):	
Waste Code	:	
	13 02 05*	
Remarks	: Disposal should be in accordance with national, and local laws and regulation	
	Classification of waste is always the reuser.	esponsibility of the end

SECTION 14: Transport information

14.1 UN number		
ADR RID IMDG IATA	::	Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good
14.2 Proper shipping name		
ADR RID IMDG IATA	: : :	Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good
14.3 Transport hazard class		
ADR RID IMDG IATA	: :: ::	Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good
14.4 Packing group		
ADR RID IMDG IATA	: : : :	Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good
14.5 Environmental hazards	•	
ADR RID IMDG	:	Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good
14.6 Special precautions for user		
Remarks	:	Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Shell Omala S2 G 150

Version 3.2

Revision Date 04.03.2020

Print Date 06.07.2020

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - List of substances subj (Annex XIV)	-	-	: Product is not subject to Authorisation under REACH.
Volatile organic compounds	0 %		
Other regulations :	compred Environ Safety a Pollutior 1995. Fi and Use Regulat Packagi Substar amende Pollutan and Dar Persona Protectir Waste (Control amende (Englan (Englan Planning regulati Ozone-I Regulat and of tl Registra Chemic: Regulat and of tl Registra	hensive. Other re- mental Protection at Work etc. Act 1 in Prevention and actories Act 196 e of Transportabl ions 2011. Cherr ing for Supply) R inces Hazardous f ed). Merchant Sh its) Regulations and Protective Equ ve Equipment at England and Wa of Major Accider ed). Renewable T ended). Energy A d and Wales) Rei d and Wales) Rei g (Hazardous Su ons. The Environ Depleting Substa- ion (EC) No 190 he Council of 18 ation, Evaluation, als (REACH), an ion (EC) No 190 he Council of 18 ation, Evaluation, als (REACH), ar e 2004/37/EC on	7/2006 of the European Parliament December 2006 concerning the Authorisation and Restriction of

onell Umala 52 G	150			
ersion 3.2	Revision Date 04.03.2020	Print Date 06.07.2020		
	work and its amendments. Council Directive 92/85/EEC on the to encourage improvements in the sa pregnant workers and workers who h	Directive 1994/33/EC on the protection of young people at work and its amendments. Council Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding and its amendments.		
The components of	this product are reported in the following inve	ntories:		
EINECS TSCA	: All components listed or polymer exe : All components listed.	empt.		

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other information

,

Full text of H-Statements

H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. Aquatic Chronic Eye Dam. Skin Sens.	Acute toxicity Long-term (chronic) aquatic hazard Serious eye damage Skin sensitisation ayms : The standard abbreviations and acronyms used in this
	document can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
	ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling COC = Cleveland Open-Cup DIN = Deutsches Institut fur Normung
	DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

SAFETY DATA SHEET

According to EC No 1907/2006 as amended as at the date of this SDS

nell Omala S2 G 150		
rsion 3.2	Revision Date 04.03.2020	Print Date 06.07.2020
	DOL - Conside Demostia Ochetenes I	
	DSL = Canada Domestic Substance I	LIST
	EC = European Commission	
	EC50 = Effective Concentration fifty	
	ECETOC = European Center on Ecot	loxicology and
	Toxicology Of Chemicals	
	ECHA = European Chemicals Agency	•
	EINECS = The European Inventory of	f Existing Commercial
	Chemical Substances	
	EL50 = Effective Loading fifty	
	ENCS = Japanese Existing and New	Chemical Substances
	Inventory	
	EWC = European Waste Code	
	GHS = Globally Harmonised System Labelling of Chemicals	
	IARC = International Agency for Rese	earch on Cancer
	IATA = International Air Transport Ass	sociation
	IC50 = Inhibitory Concentration fifty	
	IL50 = Inhibitory Level fifty	
	IMDG = International Maritime Dange	rous Goods
	INV = Chinese Chemicals Inventory	
	IP346 = Institute of Petroleum test m	nethod N° 346 for the
	determination of polycyclic aromatics	DMSO-extractables
	KECI = Korea Existing Chemicals Inv	entory
	LC50 = Lethal Concentration fifty	-
	LD50 = Lethal Dose fifty per cent.	
	LL/EL/IL = Lethal Loading/Effective Lo	oading/Inhibitory loading
	LL50 = Lethal Loading fifty	
	MARPOL = International Convention	for the Prevention of
	Pollution From Ships	
	NOEC/NOEL = No Observed Effect C	Concentration / No
	Observed Effect Level	
	OE_HPV = Occupational Exposure -	High Production Volume
	PBT = Persistent, Bioaccumulative ar	
	PICCS = Philippine Inventory of Chen	
	Substances	
	PNEC = Predicted No Effect Concent	ration
	REACH = Registration Evaluation And	
	Chemicals	
	RID = Regulations Relating to Interna	tional Carriage of
	Dangerous Goods by Rail	
	SKIN_DES = Skin Designation	
	STEL = Short term exposure limit	
	TRA = Targeted Risk Assessment	
	TSCA = US Toxic Substances Contro	ol Act
	TWA = Time-Weighted Average	
	vPvB = very Persistent and very Bioa	ccumulative
Further information		
Training advice		

Provide adequate information, instruction and training for operators.

Shell Omala S2 G 150					
Version 3.2	Revision Date 04.03.2020	Print Date 06.07.2020			
Other information	 No Exposure Scenario annex is attached to this safety data sheet. It is a non-classified mixture containing hazardous substances as detailed in Section 3; relevant information from Exposure Scenarios for the hazardous substances contained have been integrated into the core sections 1-16 of this SDS. A vertical bar () in the left margin indicates an amendment from the previous version. 				
Sources of key data used to compile the Safety Data Sheet	:				
	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).				

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.