



SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Component	
Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics, C9 Aromatics(64742-95-6), YELLOW IRON OXIDE(51274-00-1), CI Pigment Yellow(6358-31-2), CI Pigment Green 7(1328-53-6), CARBON BLACK (GENERIC)(1333-86-4), C18-unsatd., dimers, compds. with coco alkylamines(68647-95-0), Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%(64742-48-9: Naphtha (petroleum), hydrotreated heavy), ZIRCONIUM SALT(22464-99-9), NEODECANOATE ACID, COBALT SALT(27253-31-2), ETHANOL(64-17-5), METHOXY PROPOXY PROPANOL(34590-94-8), methanol(67-56-1)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics substance with workplace exposure limit(s)	EC-No.: 919-857-5	≥ 40 – < 50	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
C9 Aromatics	CAS-No.: 64742-95-6 EC-No.: 265-199-0 UK Index-No.: 649-356-00-4	≥ 1 – < 5	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
YELLOW IRON OXIDE	CAS-No.: 51274-00-1 EC-No.: 257-098-5	≥ 1 – < 5	STOT RE 2, H373 Aquatic Chronic 3, H412
CI Pigment Yellow	CAS-No.: 6358-31-2 EC-No.: 228-768-4	≥ 1 – < 5	Skin Irrit. 2, H315 Aquatic Chronic 3, H412
CI Pigment Green 7	CAS-No.: 1328-53-6 EC-No.: 215-524-7	≥ 1 – < 5	STOT RE 2, H373
CARBON BLACK (GENERIC)	CAS-No.: 1333-86-4 EC-No.: 215-609-9	≥ 1 – < 5	STOT RE 1, H372



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
C18-unsatd., dimers, compds. with coco alkylamines	CAS-No.: 68647-95-0 EC-No.: 614-682-8	< 1	STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%	CAS-No.: 64742-48-9: Naphtha (petroleum), hydrotreated heavy EC-No.: 918-481-9	< 1	Asp. Tox. 1, H304
ZIRCONIUM SALT	CAS-No.: 22464-99-9 EC-No.: 245-018-1	< 1	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410
NEODECANOATE ACID, COBALT SALT	CAS-No.: 27253-31-2 EC-No.: 248-373-0	< 1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Chronic 3, H412
ETHANOL	CAS-No.: 64-17-5 EC-No.: 200-578-6	< 1	Flam. Liq. 1, H224
METHOXY PROPOXY PROPANOL	CAS-No.: 34590-94-8 EC-No.: 252-104-2	< 1	Not classified
methanol	CAS-No.: 67-56-1 EC-No.: 200-659-6	< 1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) STOT SE 1, H370

Comments

: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1% or more titanium dioxide which is in the form of or incorporated into particles with an aerodynamic diameter of less than or equal to 10um.

Full text of H- and EUH-statements: see section 16





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Place unconscious person on their side in the recovery position and ensure breathing can take place.
First-aid measures after skin contact	: Remove affected person from source of contamination. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Continue to rinse for at least 15 minutes and get medical attention.
First-aid measures after eye contact	: Remove any contact lenses and open eyes wide apart. Continue to rinse for at least 15 minutes and get medical attention.
First-aid measures after ingestion	: Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Get medical attention promptly if symptoms occur after washing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.
Explosion hazard : May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so. Evacuate area.
Firefighting instructions : Prevent fire fighting water from entering the environment.
Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. EN 469.



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not breathe vapours. Ventilate spillage area. No flames, no sparks. Eliminate all sources of ignition. See section 8 of the SDS for more information on personal protective equipment.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.

Emergency procedures : Cover spill with non combustible material, e.g.: sand/earth.

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite.

Methods for cleaning up : Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapour-air mixture.

Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not eat, drink or smoke when using this product.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

19/11/2024 (Revision date)

GB - en

6/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Long-term - systemic effects, dermal	300 mg/kg bodyweight/day
--------------------------------------	--------------------------

C9 Aromatics (64742-95-6)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	25 mg/kg bodyweight/day
--------------------------------------	-------------------------

Long-term - systemic effects, inhalation	150 mg/m³
--	-----------

DNEL/DMEL (General population)

Long-term - systemic effects, oral	11 mg/kg bodyweight/day
------------------------------------	-------------------------

Long-term - systemic effects, inhalation	32 mg/m³
--	----------

Long-term - systemic effects, dermal	11 mg/kg bodyweight/day
--------------------------------------	-------------------------

CI Pigment Yellow (6358-31-2)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	42 mg/kg bodyweight/day
--------------------------------------	-------------------------

Long-term - systemic effects, inhalation	49 mg/m³
--	----------

Long-term - local effects, inhalation	3 mg/m³
---------------------------------------	---------

DNEL/DMEL (General population)

Long-term - systemic effects, oral	25 mg/kg bodyweight/day
------------------------------------	-------------------------

Long-term - systemic effects, dermal	25 mg/kg bodyweight/day
--------------------------------------	-------------------------

CI Pigment Green 7 (1328-53-6)

DNEL/DMEL (Workers)

Long-term - local effects, inhalation	1.25 mg/m³
---------------------------------------	------------

DNEL/DMEL (General population)

Long-term - local effects, inhalation	1.25 mg/m³
---------------------------------------	------------

NEODECANOATE ACID, COBALT SALT (27253-31-2)

DNEL/DMEL (Workers)

Long-term - local effects, inhalation	273.2 µg/m³
---------------------------------------	-------------



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

NEODECANOATE ACID, COBALT SALT (27253-31-2)

DNEL/DMEL (General population)

Long-term - systemic effects, oral	32 µg/kg bodyweight/day
Long-term - local effects, inhalation	43 µg/m³

PNEC (Water)

PNEC aqua (freshwater)	0.62 µg/l
PNEC aqua (marine water)	2.36 µg/l

PNEC (Sediment)

PNEC sediment (freshwater)	53.8 mg/kg dwt
PNEC sediment (marine water)	69.8 mg/kg dwt

PNEC (Soil)

PNEC soil	10.9 mg/kg dwt
-----------	----------------

PNEC (STP)

PNEC sewage treatment plant	0.37 mg/l
-----------------------------	-----------

C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	0.51 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.91 mg/m³

DNEL/DMEL (General population)

Long-term - systemic effects, oral	0.13 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	0.45 mg/m³
Long-term - systemic effects, dermal	0.25 mg/kg bodyweight/day
Long-term - local effects, dermal	86.5 µg/cm²

PNEC (Water)

PNEC aqua (freshwater)	0.000393 mg/l
PNEC aqua (marine water)	0.0000393 mg/l
PNEC aqua (intermittent, freshwater)	0.00393 mg/l

19/11/2024 (Revision date)

GB - en

9/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Regal Drive, Soham,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Coloured liquid.
Colour	: Various colours.
Odour	: Hydrocarbon.
Odour threshold	: Not available
pH	: Technically not feasible.
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 132 °C
Flash point	: > 32 °C Setaflash closed cup.
Lower explosion limit	: 0.9 vol %
Upper explosion limit	: Not available
Vapour pressure	: 3.5 mm Hg 20 Deg C
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: > 1
Relative density	: Not available
Density	: 1.15 g/l 20 Deg C
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: 3.4 – 3.6 Poise at 20 Deg C
Explosive properties	: Not available

9.2. Other information

VOC content	: 450 – 505
Particle characteristics	: Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

19/11/2024 (Revision date)

GB - en

13/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid open fire or flames. Avoid formation of vapours. No flames, no sparks. Eliminate all sources of ignition. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. May liberate toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

C9 Aromatics (64742-95-6)

LD50 dermal rabbit	> 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 6193 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:

YELLOW IRON OXIDE (51274-00-1)

LD50 oral rat	> 10000 mg/kg bodyweight Animal: rat, Animal sex: male
LD50 oral	> 10000 mg/kg bodyweight Animal: , Animal sex: male



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

CI Pigment Yellow (6358-31-2)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
---------------	--

CI Pigment Green 7 (1328-53-6)

LD50 oral rat	> 6400 mg/kg Source: ECHA
LD50 dermal rat	> 5000 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 5000 mg/kg

NEODECANOATE ACID, COBALT SALT (27253-31-2)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
-----------------	--

C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity), Guideline: other:
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity), Guideline: other:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% (64742-48-9: Naphtha (petroleum), hydrotreated heavy)

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

ZIRCONIUM SALT (22464-99-9)

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

C9 Aromatics (64742-95-6)

NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
----------------------------	---

YELLOW IRON OXIDE (51274-00-1)

LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.1957 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

CARBON BLACK (GENERIC) (1333-86-4)

LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0071 mg/l air Animal: rat, Animal sex: male
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.0011 mg/l air Animal: rat, Animal sex: male
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

CI Pigment Yellow (6358-31-2)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)
----------------------------	---

CI Pigment Green 7 (1328-53-6)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.03 mg/l air Animal: rat, Animal sex: male
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

NEODECANOATE ACID, COBALT SALT (27253-31-2)

LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.31 mg/l air Animal: rat
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)

NOAEL (oral, rat, 90 days)	12.5 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral)), Guideline: other:
----------------------------	---

19/11/2024 (Revision date)

GB - en

17/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)

STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
------------------------	--

ZIRCONIUM SALT (22464-99-9)

NOAEL (subchronic, oral, animal/male, 90 days)	180 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:
--	---

NOAEL (subchronic, oral, animal/female, 90 days)	205 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:
--	---

ETHANOL (64-17-5)

LOAEL (oral, rat, 90 days)	3200 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEL (oral, rat, 90 days)	1730 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents), Remarks on results: other:

METHOXY PROPOXY PROPANOL (34590-94-8)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:
----------------------------	--

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

SUPERCOTE ENAMEL LEAD FREE

Viscosity, kinematic	3.4 – 3.6 Poise at 20 Deg C
----------------------	-----------------------------

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Viscosity, kinematic	1.33 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	--

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% (64742-48-9: Naphtha (petroleum), hydrotreated heavy)

Viscosity, kinematic	1.8 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

ETHANOL (64-17-5)

Viscosity, kinematic	0.692 – 0.75 mm ² /s
----------------------	---------------------------------

Other information

No additional information available



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

C9 Aromatics (64742-95-6)

EC50 72h - Algae [1]	0.42 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.29 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

YELLOW IRON OXIDE (51274-00-1)

LC50 - Fish [1]	≥ 100000 mg/l Test organisms (species):
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 20 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	> 20 mg/l Test organisms (species):

CARBON BLACK (GENERIC) (1333-86-4)

EC50 72h - Algae [1]	> 10000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	> 10000 mg/l Test organisms (species):

CI Pigment Yellow (6358-31-2)

LC50 - Fish [1]	33.605 mg/l Source: Ecological Structure Activity Relationships
EC50 96h - Algae [1]	25.518 mg/l Source: Ecological Structure Activity Relationships
NOEC (chronic)	> 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

CI Pigment Green 7 (1328-53-6)

LC50 - Fish [1]	1000 mg/l Source: ECHA
EC50 - Crustacea [1]	> 500 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Source: ECHA

19/11/2024 (Revision date)

GB - en

19/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

CI Pigment Green 7 (1328-53-6)	
LOEC (chronic)	> 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	≥ 1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NEODECANOATE ACID, COBALT SALT (27253-31-2)	
EC50 - Crustacea [1]	5.89 mg/l Test organisms (species): Daphnia magna
C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)	
LC50 - Fish [1]	55 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	34.5 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.393 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.013 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
ZIRCONIUM SALT (22464-99-9)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	> 0.17 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
ETHANOL (64-17-5)	
EC50 - Crustacea [1]	> 10000 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	≈ 22000 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
METHOXY PROPOXY PROPANOL (34590-94-8)	
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'

19/11/2024 (Revision date)

GB - en

20/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Component	
YELLOW IRON OXIDE (51274-00-1)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
CARBON BLACK (GENERIC) (1333-86-4)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
CI Pigment Yellow (6358-31-2)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
CI Pigment Green 7 (1328-53-6)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
NEODECANOATE ACID, COBALT SALT (27253-31-2)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% (64742-48-9: Naphtha (petroleum), hydrotreated heavy)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
ZIRCONIUM SALT (22464-99-9)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII
ETHANOL (64-17-5)	This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII

19/11/2024 (Revision date)

GB - en

23/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS

withamgroup.co.uk





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Component	
METHOXY PROPOXY PROPANOL (34590-94-8)	<p>This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII</p> <p>This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII</p>
methanol (67-56-1)	<p>This product does not contain substances at ≥0.1% that meet the PBT criteria of UK REACH regulation, annex XIII</p> <p>This product does not contain substances at ≥0.1% that meet the vPvB criteria of UK REACH regulation, annex XIII</p>

12.6. Other adverse effects

SUPERCOTE ENAMEL LEAD FREE	
Other information	The product contains volatile organic compounds(vos's) which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	: 08 01 11* - waste paint and varnish containing organic solvents or other dangerous substances 15 01 02 - plastic packaging 15 01 04 - metallic packaging





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

HP Code

: HP3 - "Flammable:"

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;

– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1263				
14.2. UN proper shipping name				
PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound))	PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound))	Paint (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound))	PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound))	PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound))

19/11/2024 (Revision date)

GB - en

25/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ADR	IMDG	IATA	ADN	RID
Transport document description				
UN 1263 PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)), 3, III, (D/E)	UN 1263 PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)), 3, III	UN 1263 Paint (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)), 3, III	UN 1263 PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)), 3, III	UN 1263 PAINT (PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning and reducing compound)), 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: False	Dangerous for the environment: False Marine pollutant: No	Dangerous for the environment: False	Dangerous for the environment: False	Dangerous for the environment: False
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	:	F1
Special provisions (ADR)	:	163, 367, 650
Limited quantities (ADR)	:	5I
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Special packing provisions (ADR)	:	PP1
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T2

19/11/2024 (Revision date)

GB - en

26/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Operation (ADR) : S2

Hazard identification number (Kemler No.) : 30

Orange plates



Tunnel restriction code (ADR) : D/E

EAC code : •3Y

Transport by sea

Special provisions (IMDG) : 163, 223, 367, 955

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

Special packing provisions (IMDG) : PP1

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T2

Tank special provisions (IMDG) : TP1, TP29

EmS-No. (Fire) : F-E

EmS-No. (Spillage) : S-E

Stowage category (IMDG) : A

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y344

PCA limited quantity max net quantity (IATA) : 10L

PCA packing instructions (IATA) : 355

PCA max net quantity (IATA) : 60L

CAO packing instructions (IATA) : 366

CAO max net quantity (IATA) : 220L

Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 367, 650

19/11/2024 (Revision date)

GB - en

27/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01
Number of blue cones/lights (ADN)	:	0

Rail transport

Classification code (RID)	:	F1
Special provisions (RID)	:	163, 367, 650
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T2
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBF
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE4
Hazard identification number (RID)	:	30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

GB PIC regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

19/11/2024 (Revision date)

GB - en

28/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

VOC content : 450 – 505

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes (UK)

Section	Changed item	Comments
	Supersedes	Added
	Revision date	Added

Other information : Technical Manager.

Full text of H- and EUH-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3

19/11/2024 (Revision date)

GB - en

29/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
STOT SE 2	Specific target organ toxicity – Single exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.

19/11/2024 (Revision date)

GB - en

30/31



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373





SAFETY DATA SHEET - PAINTS

SUPERCOTE ENAMEL LEAD FREE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements:

H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H370	Causes damage to organs.
H371	May cause damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains NEODECANOATE ACID, COBALT SALT (27253-31-2) (20228), C18-unsatd, dimers, compds. with coco alkylamines (68647-95-0) (21069). May produce an allergic reaction.

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS

