



By Appointment to
Her Majesty the King
Lubricant Supplier & Paint Supplier
Witham Group F/A Witham Oil & Paint Ltd, Lincoln



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.
Issue date: 1/6/2025 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : TH 25 THINNERS
Product code : TH25

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use
Use of the substance/mixture : PAINT THINNER

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Witham Group
Outer Circle Road
LN2 4HL Lincoln – Lincolnshire
United Kingdom
T 01522 521192
enquiries@withamgroup.co.uk - www.withamgroup.co.uk

1.4. Emergency telephone number

Emergency number : 01522 521192 (Monday to Thursday 8.00-17.00, Friday 8.00-16.30)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Flammable liquids, Category 3	H226
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Specific target organ toxicity – Repeated exposure, Category 1	H372
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

1/6/2025 (Issue date)

GB - en

1/19



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GHS UK)



GHS02

GHS07

GHS08

GHS09

Signal word (GHS UK)

: Danger

Contains

: Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%); Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Hazard statements (GHS UK)

: H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H336 - May cause drowsiness or dizziness.

H372 - Causes damage to organs through prolonged or repeated exposure.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (GHS UK)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating and lighting equipment.

P260 - Do not breathe dust, fume, gas, mist, vapours or spray.

P264 - Wash hands, forearms and face thoroughly after handling.

2.3. Other hazards

Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%), Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%), Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Results of Endocrine Disruptor assessment

1/6/2025 (Issue date)

GB - en

2/19



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Component

Substance(s) not considered as endocrine disrupting. They are not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, nor identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%), Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics
---	---

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)	EC-No.: 919-446-0	≥ 50 – < 60	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Aquatic Chronic 2, H411
Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics	EC-No.: 919-857-5	≥ 50 – < 60	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304

Comments

: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1% or more titanium dioxide which is in the form of or incorporated into particles with an aerodynamic diameter of less than or equal to 10um.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person.

1/6/2025 (Issue date)

GB - en

3/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell. Place unconscious person on their side in the recovery position and ensure breathing can take place.

First-aid measures after skin contact : Remove affected person from source of contamination. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Continue to rinse for at least 15 minutes and get medical attention.

First-aid measures after eye contact : Remove any contact lenses and open eyes wide apart. Continue to rinse for at least 15 minutes and get medical attention.

First-aid measures after ingestion : Do not induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Get medical attention promptly if symptoms occur after washing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry powder. Foam.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : This product is flammable.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so. Evacuate area.

Firefighting instructions : Prevent fire fighting water from entering the environment.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing. EN 469.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Do not breathe vapours. Ventilate spillage area. No flames, no sparks. Eliminate all sources of ignition. See section 8 of the SDS for more information on personal protective equipment.

1/6/2025 (Issue date)

GB - en

4/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS

withamgroup.co.uk





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

6.1.2. For emergency responders

Protective equipment : Use personal protective equipment as required.
Emergency procedures : Cover spill with non combustible material, e.g.: sand/earth.

6.2. Environmental precautions

Do not allow to enter drains or water courses. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite.
Methods for cleaning up : Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Absorb spilled material with sand or earth. Shovel or sweep up and put in a closed container for disposal.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : In use, may form flammable vapour-air mixture.
Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not eat, drink or smoke when using this product.
Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.
Incompatible products : Oxidizing agent. Strong acids. Strong bases.
Incompatible materials : Sources of ignition.
Storage temperature : 5 – 25 °C Deg C
Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.

7.3. Specific end use(s)

The identified uses for this product are detailed in section 1.2.

1/6/2025 (Issue date)

GB - en

5/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS



withamgroup.co.uk



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA)	≈ 350 mg/m³
-------------------	-------------

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

United Kingdom - Occupational Exposure Limits

WEL TWA (OEL TWA)	1000 mg/m³
-------------------	------------

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)

DNEL/DMEL (Workers)

Acute - systemic effects, inhalation	570 mg/m³
Long-term - systemic effects, dermal	21 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	330 mg/m³

DNEL/DMEL (General population)

Acute - systemic effects, inhalation	570 mg/m³
Long-term - systemic effects, oral	21 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	71 mg/m³
Long-term - systemic effects, dermal	12 mg/kg bodyweight/day

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

DNEL/DMEL (Workers)

Long-term - systemic effects, dermal	300 mg/kg bodyweight/day
--------------------------------------	--------------------------

1/6/2025 (Issue date)

GB - en

6/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Long-term - systemic effects, inhalation	1500 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	300 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	900 mg/m ³
Long-term - systemic effects, dermal	300 mg/kg bodyweight/day

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Protective goggles (EN 166)

8.2.2.2. Skin protection

Skin and body protection:

Long sleeved protective clothing

Hand protection:

Protective gloves against chemicals (EN 374)

Hand protection

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
repeated exposure	Butyl rubber, Polyethylene (PE) /	4 (> 120 minutes)	0.35		EN ISO 374

1/6/2025 (Issue date)

GB - en

7/19



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Colourless.
Odour	: Hydrocarbon.
Odour threshold	: Not available
pH	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 130 – 200 Deg C
Flash point	: 30 Setaflash closed cup.
Flammability	: Not available
Explosive limits	: Not available
Vapour pressure	: 0.231 kPa
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: 0.72 20 Deg C
Density	: Not available
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Explosive properties	: Not available

9.2. Other information

VOC content	: 720 g/l
Particle characteristics	: Not applicable

1/6/2025 (Issue date)

GB - en

8/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid open fire or flames. Avoid formation of vapours. No flames, no sparks. Eliminate all sources of ignition. No smoking.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide. May liberate toxic gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)

LD50 oral rat	> 15000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LC50 Inhalation - Rat	> 1.58 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

1/6/2025 (Issue date)

GB - en

9/19



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met)
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: May cause drowsiness or dizziness.

Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure : Causes damage to organs through prolonged or repeated exposure.

Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)

NOAEL (dermal, rat/rabbit, 90 days)	≥ 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

Hydrocarbons, C9-C12, n alkanes, isoalkanes, cyclics, Aromatics (2-25%)

Viscosity, kinematic	1.2 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	---

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Viscosity, kinematic	1.33 mm ² /s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm ² /s)'
----------------------	--

Other information

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

1/6/2025 (Issue date)

GB - en

10/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hydrocarbons, C9-C12, n alkanes, isoalkanes,cyclics, Aromatics (2-25%)

EC50 72h - Algae [1]	0.94 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	0.53 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	1.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	0.58 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

12.2. Persistence and degradability

TH 25 THINNERS

Persistence and degradability	The product is not expected to be biodegradable.
-------------------------------	--

Hydrocarbons, C9-C12, n alkanes, isoalkanes,cyclics, Aromatics (2-25%)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

TH 25 THINNERS

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

TH 25 THINNERS

Ecology - soil	The product contains volatile organic compounds(voc) which will evaporate easily from all surfaces.
----------------	---

12.5. Results of PBT and vPvB assessment

Component

Hydrocarbons, C9-C12, n alkanes, isoalkanes,cyclics, Aromatics (2-25%)	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
--	---

1/6/2025 (Issue date)

GB - en

11/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Component

Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics <2% Aromatics	This substance does not meet the PBT criteria of UK REACH regulation, annex XIII This substance does not meet the vPvB criteria of UK REACH regulation, annex XIII
--	---

12.6. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)

TH 25 THINNERS

Other information	The product contains volatile organic compounds(vos's) which have a photochemical ozone creation potential.
-------------------	---

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Discharging into rivers and drains is forbidden. Dispose in a safe manner in accordance with local/national regulations.
Ecological waste information	: Avoid release to the environment.
European List of Waste (LoW, EC 2000/532)	: 08 01 11* - waste paint and varnish containing organic solvents or other dangerous substances 15 01 02 - plastic packaging 15 01 04 - metallic packaging

1/6/2025 (Issue date)

GB - en

12/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

HP Code

: HP3 - "Flammable:"

– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;

– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;

– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;

– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;

– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;

– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1268	UN 1268	UN 1268	UN 1268	UN 1268
14.2. UN proper shipping name				
PETROLEUM PRODUCTS, N.O.S.	PETROLEUM DISTILLATES, N.O.S.	Petroleum distillates, n.o.s.	PETROLEUM DISTILLATES, N.O.S.	PETROLEUM DISTILLATES, N.O.S.
Transport document description				
UN 1268 PETROLEUM PRODUCTS, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS	UN 1268 PETROLEUM DISTILLATES, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 1268 Petroleum distillates, n.o.s., 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1268 PETROLEUM DISTILLATES, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS	UN 1268 PETROLEUM DISTILLATES, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
3	3	3	3	3

1/6/2025 (Issue date)

GB - en

13/19

	WITHAM OIL & PAINT (SOHAM) LTD Regal Drive, Soham, Cambs CB7 5BE 01353 723373	HEAD OFFICE WITHAM OIL & PAINT LTD Outer Circle Road, Lincoln LN2 4HL 01522 521192	WITHAM MOTORSPORT LTD Regal Drive, Soham, Cambs CB7 5BE 01353 723373	Qualube LUBRICANTS & GREASES WOCO PAINTS & COATINGS
withamgroup.co.uk				



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 664
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29

Tank code (ADR) : LGBF

Vehicle for tank carriage : FL

Transport category (ADR) : 3

Special provisions for carriage - Packages (ADR) : V12

Special provisions for carriage - Operation (ADR) : S2

Hazard identification number (Kemler No.) : 30

Orange plates :

Tunnel restriction code (ADR) : D/E

EAC code : 3Y

1/6/2025 (Issue date)

GB - en

14/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Transport by sea

Special provisions (IMDG)	:	223, 955
Limited quantities (IMDG)	:	5 L
Excepted quantities (IMDG)	:	E1
Packing instructions (IMDG)	:	P001, LP01
IBC packing instructions (IMDG)	:	IBC03
Tank instructions (IMDG)	:	T4
Tank special provisions (IMDG)	:	TP1, TP29
EmS-No. (Fire)	:	F-E
EmS-No. (Spillage)	:	S-E
Stowage category (IMDG)	:	A
Properties and observations (IMDG)	:	Immiscible with water.

Air transport

PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y344
PCA limited quantity max net quantity (IATA)	:	10L
PCA packing instructions (IATA)	:	355
PCA max net quantity (IATA)	:	60L
CAO packing instructions (IATA)	:	366
CAO max net quantity (IATA)	:	220L
Special provisions (IATA)	:	A3
ERG code (IATA)	:	3L

Inland waterway transport

Classification code (ADN)	:	F1
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	T
Equipment required (ADN)	:	PP, EX, A
Ventilation (ADN)	:	VE01
Number of blue cones/lights (ADN)	:	0

Rail transport

Classification code (RID)	:	F1
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions (RID)	:	TP1, TP29
Tank codes for RID tanks (RID)	:	LGBF

1/6/2025 (Issue date)

GB - en

15/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Colis express (express parcels) (RID)	:	CE4
Hazard identification number (RID)	:	30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

This product contains no substance(s) listed on the UK REACH Candidate List (SVHC) above the 0.1% level of disclosure

GB PIC Regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (EC 273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

1/6/2025 (Issue date)

GB - en

16/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

15.1.2. Other Information

VOC content : 720 g/l

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

CAS-No.	Chemical Abstract Service number
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
ED	Endocrine disruptor
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
IOELV	Indicative Occupational Exposure Limit Value
LC50	Median lethal concentration

1/6/2025 (Issue date)

GB - en

17/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS

withamgroup.co.uk





SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:

LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
N.O.S.	Not Otherwise Specified
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
TRGS	Technical Rules for Hazardous Substances
ThOD	Theoretical oxygen demand (ThOD)
VOC	Volatile Organic Compounds
WGK	Water Hazard Class
vPvB	Very Persistent and Very Bioaccumulative

Other information

: Technical Manager.

Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3

1/6/2025 (Issue date)

GB - en

18/19



SAFETY DATA SHEET - PAINTS

TH 25 THINNERS

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements:

STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

1/6/2025 (Issue date)

GB - en

19/19



WITHAM OIL & PAINT (SOHAM) LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

HEAD OFFICE
WITHAM OIL & PAINT LTD
Outer Circle Road,
Lincoln LN2 4HL
01522 521192

WITHAM MOTORSPORT LTD
Regal Drive, Soham,
Cambs CB7 5BE
01353 723373

withamgroup.co.uk

Qualube
LUBRICANTS & GREASES
WOCO
PAINTS & COATINGS

