

FEATURES



Anti-Static



Fibreglass Toecap



PS Rated Aramid Protective Midsole



Non Metallic



Fuel Oil Resistant Outsole



Heat Resistant Outsole to 300c



Water Repellent Upper



Fully Waterproof



Recycled Materials



SR Slip Resistance

INDUSTRIES



Agricultural



Automotive and Aerospace



Construction



Emergency Services



Engineering



Facility Management



Foundry



Highways



Quarry and Mining



Rail

Product Details

Colour: Black
Height: 5 inches
Weight: 588g



PRODUCT DESCRIPTION

VX950A Onyx Black: Groundbreaking women's safety boot with fibreglass toecap, para-aramid midsole, and Activ-Tex® waterproof membrane. Features LWG Gold rated leather, recycled polyester lining, and Activ-Step® foam footbed. Nitrile rubber outsole ensures durability. Delivers unmatched comfort, protection, and performance for demanding worksites.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Nubuck Leather, LWG Certified

EYELETS: Plastic

LACES: 100% Polyester

FOOTBED: Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh

LINING: 60% Post Consumer Recycled Polyester, 40% Nylon

MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane

OUTSOLE: Nitrile Rubber

PROTECTIVE TOECAP: Fibreglass

PROTECTIVE MIDSOLE: Activ-step® Aramid Fibre

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

**SATRA**

Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15490-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:

Rock Fall VX950A ONYX
Rock Fall VX950C ONYX
Rock Fall RF953 Sapphire

Description:

Design Type:	Ankle boot (Design B)
Upper:	Black waxy leather, Honey/Navy nubuck
Tongue:	Black/Honey suede, Black PU
Collar:	Black PU
Tongue Lining:	Black sandwich mesh
Collar Lining:	Black sandwich mesh
Vamp Lining:	Black/White flat lunar backed waterproof membrane
Quarter Lining:	Black/White flat lunar backed waterproof membrane
Counter Lining:	Black/White flat lunar backed waterproof membrane
Insole:	PEP- Composite
Perforation Resistance:	Non-metallic perforation resistance insert referenced PEP- Composite
Toe Protection:	Non-metallic top cap referenced PEP- Composite
Last Reference:	#PEP-PL
Soling Construction:	Cemented
Midsole Material:	NA
Outsole Material:	Black/Honey rubber
Sole Reference:	2061#RB
Insock/Footbed:	Orange mesh with PU full removable insock
Fastening System:	3 eyelets and 2 closed ski hooks with the lace
Scuff Cap:	NA
Heel Cap:	NA
Size Range:	UK 3-13

Classification:

EN ISO 20345:2022 S7S FO HRO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:
List of test reports in the approved technical file

Signed on behalf of SATRA:

Kayleigh Aylward

Date first issued: 17/12/2020

Date of issue: 22/09/2025

Expiry date: 22/09/2030



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL VX950A Onyx Black

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15490-02/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, faint, grey Rock Fall logo watermark.

Position: Director

Date: 22.09.2025



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16493-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Description:

Rock Fall VX950A ONYX

Ankle safety boot comprising waxy black leather upper with synthetic linings. 3 eyelets and 2 closed ski hooks comprise the laced fastening system. PEP-Composite toe cap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2061#RB.

Rock Fall VX950C ONYX

Ankle safety boot comprising honey leather upper with synthetic linings. 3 eyelets and 2 closed ski hooks comprise the laced fastening system. PEP-Composite toe cap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2061#RB.

Classification:

EN ISO 20345:2011 S3 WR HRO SRC

Size Range: 3 – 13 UK

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

Intertek: GZHT90573543, GZHT90607597, GZHT90577845, GZHT90631007, GZHT90595626, GZHT90947643, GZHT90593751, GZHT90771873, GZHT90833061, GZHT90670616, GZHT90676988, GZHT90691942, GZHT90832750, GZHT90619917, GZHT90609993, GZHT90894688, GZHT90580059, GZHT90644964, GZHT90876015, GZHT90992161, GZHT90653623(S1), 90658444, 90593754, 90835408, 91015458
CTC: D190102078_2, D181120663, D180814971, D181123122
CTT: CTT190113430EN, CTT2002010627, CTT2008011140
LCTECH: LCZC14030151
SATRA: CHT0293351/1951

Date first issued: 29/04/2021

Date of issue: 29/04/2021

Expiry date: 29/04/2026

Pete Doughty

Signed on behalf of SATRA:



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the
PPE described hereafter;

Rock Fall VX950A Onyx

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16493-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light grey, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 29/04/2021

FEATURES



Anti-Static



Fibreglass Toecap



Fuel Oil Resistant Outsole



Fully Sustainable Packaging



Fully Waterproof



PS Rated Aramid Protective Midsole



Recycled Materials



Smaller Sizes



SR Slip Resistance



Water Repellent Upper

INDUSTRIES



Agricultural



Automotive and Aerospace



Construction



Emergency Services



Engineering



Facility Management



Foundry



Highways



Quarry and Mining



Rail

Product Details

Colour: Honey
Height: 5 inches
Weight: 563g



PRODUCT DESCRIPTION

VX950C Onyx Honey delivers unparalleled safety and comfort for women. Featuring a fibreglass toecap, para-aramid midsole, and nitrile rubber outsole, it offers superior protection and durability. The Activ-Tex waterproof membrane and recycled foam footbed ensure dry, cushioned feet throughout long workdays, enhancing performance and reducing fatigue.

MATERIAL BREAKDOWN

UPPER MATERIAL: Water Repellent Full Grain Leather, LWG Certified
EYELETS: Plastic
LACES: 100% Polyester
FOOTBED: Activ-Step® PU Foam, 100% Post Consumer Recycled Polyester Top Mesh
LINING: 60% Post Consumer Recycled Polyester, 40% Nylon
MEMBRANE: Activ-Tex® Waterproof, Breathable Microporous Membrane
OUTSOLE: Nitrile Rubber
PROTECTIVE TOECAP: Fibreglass
PROTECTIVE MIDSOLE: Activ-step® Aramid Fibre

TECHNOLOGIES & ACCREDITATIONS



Category	SB	S1	S2	S3/L/S	S4	S5/L/S	S6	S7/L/S
Class 1	✓	✓	✓	✓	✗	✗	✓	✓
Class 1	✗	✗	✗	✗	✓	✓	✗	✗
200 Joules Toecap	✓	✓	✓	✓	✓	✓	✓	✓
Closed heel Area	✗	✓	✓	✓	✓	✓	✓	✓
Energy Absorption Of Seat Region	✗	✓	✓	✓	✓	✓	✓	✓
Anti-Static	✗	✓	✓	✓	✓	✓	✓	✓
Water Penetration And Absorption	✗	✗	✓	✓	✗	✗	✓	✓
Perforation Resistance To The Type	✗	✗	✗	✓	✗	✓	✗	✓
Cleated Outside	✗	✗	✗	✓	✗	✓	✗	✓
Water Resistance Of The Entire Shoe	✗	✗	✗	✗	✗	✗	✓	✓

EN 2022 SPECIFICATION

Safety footwear is classified in the UK and EU by the EN 20345 standard using a categorisation of S1 through to S7 to quickly determine the level of incorporated safety components. This is further supported by letter codes for additional safety components or tests the footwear has undergone.

For further information contact the Rock Fall sales team.

Always check with your health and safety management if you are unsure of the appropriate specification required by your workplace.

Class 1 refers to footwear made from leather & other materials, excluding all polymeric and all rubber footwear
Class 2 Refers to all polymeric footwear including all rubber footwear.

S3, S5, S7 Specify metallic midsole tested at 1100N.

S3L, S5L, S7L specify non-metal midsole tested at 1100N with a 4.5mm nail.

S3S, S5S, S7S specify non-metal midsole tested at 1100N with a 3mm nail.

Please note that the EN20345:2022 specification does not necessarily apply to the footwear represented here, and that there are further specifications attaining to specific safety tests and standards. Always check specification and standards of the footwear before purchase. For more information on specifications and standards, get in touch with our team for complete guide.

WELLBEING & COMFORT

When you spend your working day on your feet, discomfort and incorrect footwear can cause serious long-term issues. That's why our footwear is designed to support your feet where they need it most, and we have a wide variety of styles to fit every kind of foot. Make sure your footwear is providing the correct arch support, and that your footwear is the correct size for your feet.

FOOTWEAR CARE

Keeping your safety footwear in a good condition helps keep them comfortable and extend their useful life. Always make sure to keep the upper and sole clear of extensive mud or residue, using a brush and warm water to clean. Never dry out footwear using heat (such as placing them near a radiator) always allow them to dry naturally. Use a leather nourishment or dubbin wax to keep leather materials from drying out.

**SATRA**

Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
United Kingdom

Notified Body: 2777

SATRA customer number: P1769

EU Type-Examination Certificate

Certificate number: 2777/15490-02/E00-00

This EU Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation. It has been issued Under Module B of Regulation 2016/425 on personal protective equipment. This product group has been shown to satisfy the applicable essential health and safety requirements as a Category II product.

Product Ref:

Rock Fall VX950A ONYX
Rock Fall VX950C ONYX
Rock Fall RF953 Sapphire

Description:

Design Type:	Ankle boot (Design B)
Upper:	Black waxy leather, Honey/Navy nubuck
Tongue:	Black/Honey suede, Black PU
Collar:	Black PU
Tongue Lining:	Black sandwich mesh
Collar Lining:	Black sandwich mesh
Vamp Lining:	Black/White flat lunar backed waterproof membrane
Quarter Lining:	Black/White flat lunar backed waterproof membrane
Counter Lining:	Black/White flat lunar backed waterproof membrane
Insole:	PEP- Composite
Perforation Resistance:	Non-metallic perforation resistance insert referenced PEP- Composite
Toe Protection:	Non-metallic top cap referenced PEP- Composite
Last Reference:	#PEP-PL
Soling Construction:	Cemented
Midsole Material:	NA
Outsole Material:	Black/Honey rubber
Sole Reference:	2061#RB
Insock/Footbed:	Orange mesh with PU full removable insock
Fastening System:	3 eyelets and 2 closed ski hooks with the lace
Scuff Cap:	NA
Heel Cap:	NA
Size Range:	UK 3-13

Classification:

EN ISO 20345:2022 S7S FO HRO SR

Standards/Technical specifications applied:
EN ISO 20345:2022

Technical reports/Approval documents:
List of test reports in the approved technical file

Signed on behalf of SATRA:

Kayleigh Aylward

Date first issued: 17/12/2020

Date of issue: 22/09/2025

Expiry date: 22/09/2030



EU DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Declares that the PPE described hereafter;

ROCK FALL VX950C Onyx Honey

Is in conformity with the provisions of PPE Regulation EU 2016/425 for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2022**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777.** who performed the Eu type examination (Module B) and issued the EU type -examination certificate: **2777/15490-02/E00-0**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425 under the supervision of the notified body:

SATRA Technology Europe Ltd, Bracetown Business Park, Clonee, D15YN2P. Republic of Ireland. Notified Body 2777

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, light grey, stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 22/09/2025



Issued to:

Rock Fall UK Ltd
Major House
Unit 1/3 Wimsey Way
Alfreton
Derbyshire
DE55 4LS
UK

Approved Body: 0321

SATRA customer number: P1769

UKCA Type-Examination Certificate

Certificate number: AB0321/16493-01/E00-00

This UKCA Type-Examination Certificate covers the following product group(s) supported by testing to the relevant standards/technical specifications and examination of the technical file documentation:

Following the UKCA Type-Examination this product group has been shown to satisfy the applicable essential health and safety requirements of the PPE Regulation (2016/425) as brought into UK law and amended as a Category II product.

Product reference:

Description:

Rock Fall VX950A ONYX

Ankle safety boot comprising waxy black leather upper with synthetic linings. 3 eyelets and 2 closed ski hooks comprise the laced fastening system. PEP-Composite toe cap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2061#RB.

Rock Fall VX950C ONYX

Ankle safety boot comprising honey leather upper with synthetic linings. 3 eyelets and 2 closed ski hooks comprise the laced fastening system. PEP-Composite toe cap, PEP-Composite perforation resistant insert and a cemented outsole referenced 2061#RB.

Classification:

EN ISO 20345:2011 S3 WR HRO SRC

Size Range: 3 – 13 UK

Standards/Technical specifications applied:
EN ISO 20345: 2011

Technical reports/Approval documents:

Intertek: GZHT90573543, GZHT90607597, GZHT90577845, GZHT90631007, GZHT90595626, GZHT90947643, GZHT90593751, GZHT90771873, GZHT90833061, GZHT90670616, GZHT90676988, GZHT90691942, GZHT90832750, GZHT90619917, GZHT90609993, GZHT90894688, GZHT90580059, GZHT90644964, GZHT90876015, GZHT90992161, GZHT90653623(S1), 90658444, 90593754, 90835408, 91015458
CTC: D190102078_2, D181120663, D180814971, D181123122
CTT: CTT190113430EN, CTT2002010627, CTT2008011140
LCTECH: LCZC14030151
SATRA: CHT0293351/1951

Date first issued: 29/04/2021

Date of issue: 29/04/2021

Expiry date: 29/04/2026

Pete Doughty

Signed on behalf of SATRA:



UKCA DECLARATION OF CONFORMITY

Rock Fall UK, Major House,
Unit 1/3, Wimsey Way,
Alfreton, Derbyshire, DE55 4LS
United Kingdom
Tel: **01773 608616**
Email: **sales@rockfall.com**
rockfall.com

The manufacturer or his nominated representative established in the community;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM Declares that the
PPE described hereafter;

Rock Fall VX950C Onyx

Is in conformity with the provisions of PPE Regulation EU 2016/425, as brought into UK Law and amended, for **Category II** and, where such is the case, with the national standard transposing the union harmonised standard no. **EN ISO 20345:2011**

This declaration of conformity is issued under the sole responsibility of the manufacturer;

ROCK FALL UK LTD, WIMSEY WAY, ALFRETON, DERBYSHIRE, DE55 4LS, UNITED KINGDOM

Is identical to the PPE submitted to: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321.** who performed the UKCA type examination (Module B) and issued the UKCA type -examination certificate: **AB0321/16493-01/E00-00**

The PPE is subject to the procedure set out in **Module C** of the PPE Regulation EU 2016/425, as brought into UK Law and amended, under the supervision of the notified body: **SATRA Technology Centre Limited, Wyndham Way, Telford Way, Kettering, Northamptonshire, NN16 8SD United Kingdom. Approved Body 0321**

Signature:

A handwritten signature in black ink, appearing to read "R. K. Wilson", written over a large, faint, grey stylized mountain peak graphic that serves as a background for the signature area.

Position: Director

Date: 29/04/2021